

# LITHIUM (LiFePO4) RANGE

High performance & light weight

The new lithium range is designed to offer the ultimate riding experience. With ultra-light weight conception, this LiFePO4 range will ensure faster acceleration, higher performance, very low self-discharge and extreme cycle life. Fulbat lithium range is ideal for the most demanding riders.


## FEATURES

- ⚡ Ultra lightweight
- ⚡ High cold cranking performance
- ⚡ Maintenance free & ready to use
- ⚡ Multi-positional fitment
- ⚡ Very low self-discharge
- ⚡ Long life time
- ⚡ Outstanding safety features
- ⚡ Fast charging capabilities
- ⚡ Integrated battery tester



## COMPATIBLE CHARGERS

- ⚡ Fulload 1000
- ⚡ Fulload F4
- ⚡ Fulbank 2000



Fulbat designation 12V	Energy Wh	Capacity (10Hr) Ah	CCA (A)	Dimensions (±2mm)			Layout	Charging current (A)		Equivalent lead-acid battery types (most popular models)
				L	W	H		Std	Max	
FLTK01	24	2	140	86	48	90	⊖ ⊕	1	4	KTM OE replacement
FLTZ5S	20.5	1.6	110	113	70	85	⊖ ⊕	0.8	3.2	FB4L-B; FTX4L-BS/FTZ5S; FTX5L-BS/FTZ6S
FLTZ7S	25.6	2	140	113	70	85	⊖ ⊕	1	4	FTZ7S; FTZ8V
FLTX7L	30.7	2.4	170	113	70	85	⊖ ⊕	1.2	4.8	FTX7L-BS
FLT9B	38.4	3	210	150	66	93	⊕ ⊖	1.5	6	FT7B-4; FT9B-4; FT7B-BS; FT9B-BS
FLTX9	38.4	3	210	150	87	105	⊕ ⊖	1.5	6	FTX9-BS
FLTZ10S	51.2	4	280	150	87	93	⊕ ⊖	2	8	FTZ10S
FLT12B	64	5	350	150	66	130	⊕ ⊖	2.5	10	FT12B-4; FT14B-4; FT12B-BS; FT14B-BS
FLTX12	44.8	3.5	250	150	87	93	⊕ ⊖	1.8	7	FTX7A-BS; FTX12-BS; FT12A-BS
FLTX14H	51.2	4	280	150	87	93	⊕ ⊖	2	8	FTX14-BS
FLTZ14S	64	5	350	150	87	93	⊕ ⊖	2.5	10	FTZ12S; FTZ14S
FLTX20H	89.6	7	420	175	87	130	⊕ ⊖	3.5	14	FTX20-BS
FLTX20HL	89.6	7	420	175	87	130	⊖ ⊕	3.5	14	FB16CL-B; FTX20L-BS; FTX20HL-BS; FHD20HL-BS

# UPGRADE CROSS REFERENCE CHART

DRY	MF	GEL	LITHIUM
12N5.5-3B		12N5.5-3B GEL	
12N5.5-4A		12N5.5-4A GEL	
FB3L-A ; FB3L-B		FB3L-A/B GEL	
FB4L-B		FB4L-B GEL	FLTZ5S
FB5L-B ; 12N5-3B		FB5L-B GEL	
12N7-4A ; FB7-A		FB7-A GEL	
FB7C-A		FB7C-A GEL	
FB7L-B ; FB7L-B2 ; 12N7-3B		FB7L-B/B2 GEL	FLTXX7L
FB9-B ; 12N9-4B1		FB9-B GEL	
FB10L-A2 ; FB10L-B2 ; 12N10-3A/B		FB10L-A2/B2 GEL	
FB12AL-A ; FB12AL-A2		FB12AL-A2 GEL	
FB12A-A ; FB12A-B ; 12N12A-4A-1		FB12A-A/B GEL	
FB14-A2 ; FB14-B2 ; 12N14-4A	FTX14AH-BS	FB14-A2/B2/FTX14AH-BS GEL	
FB14L-A2 ; FB14L-B2 ; 12N14-3A	FTX14AHL-BS	FB14L-A2/B2/FTX14AHL-BS GEL	
FB14A-A1 ; FB14A-A2		FB14A-A2 GEL	
FB16AL-A2		FB16AL-A2 GEL	
FB16CL-B		FB16CL-B GEL	FLTXX20HL
	FT4B-BS	FT4B-BS GEL	
	FTR4A-BS	FTR4A-BS GEL	
	FTX4L-BS/FTZ5S	FTX4L-BS/FTZ5S GEL	FLTZ5S
	FTX5L-BS	FTX5L-BS/FTZ6S GEL	FLTZ5S
	FTX7A-BS	FTX7A-BS GEL	FLTXX12
	FTX7L-BS	FTX7L-BS GEL	FLTXX7L
	FTX9-BS	FTX9-BS GEL	FLTXX9
	FT12A-BS	FT12A-BS GEL	FLTXX12
	FTX12-BS	FTX12-BS GEL	FLTXX12
	FTX14-BS	FTX14-BS GEL	FLTXX14H
	FTX14L-BS	FTX14L-BS GEL ; FHD14HL-BS GEL	
	FTX14AH-BS	FTX14AH-BS/FB14-A2/B2 GEL	
	FTX14AHL-BS	FTX14AHL-BS/FB14L-A2/B2 GEL	
	FTX16-BS	FTX16 GEL	
	FTX20-BS	FTX20-BS GEL	FLTXX20H
	FTX20A-BS	FTX20A-BS GEL	
FB16L-B ; FB18L-A	FTX20L-BS	FTX20HL-BS GEL ; FHD20HL-BS GEL	FLTXX20HL
F50-N18L-A3	FTX24HL-BS	FTX24HL-BS/F50-N18L-A/A2/A3 GEL	
FB30L-B	FIX30L-BS	FIX30L-BS GEL ; FHD30HL-BS GEL	
		FTZ7S GEL ; FTZ8V GEL	FLTZ7S
		FT7B-4 GEL	FLT9B
		FT9B-4 GEL	FLT9B
		FTZ10S GEL	FLTZ10S
		FTZ12S GEL	FLTZ14S
		FT12B-4 GEL	FLT12B
		FTZ14S GEL	FLTZ14S
		FT14B-4 GEL	FLT12B
51814 ; 51913		NH12-20 GEL	
12N18-3A ; F50-N18L-A		F50-N18L-A/A2/A3/FTX24HL-BS GEL	
F60-N30L-A ; 53030		53030 GEL	

## LITHIUM

Ready to use  
High CCA performance  
Ultra lightweight



## GEL

Ready to use  
100% maintenance free  
Non-spillable



## MF

100% maintenance free  
Higher cycle life  
Unlimited shelf life



## DRY

DRY charged construction  
6 & 12V batteries  
Unlimited shelf life

