# FDC12-75

# Datasheet









FDC Series are Deep Cycle AGM Carbon batteries specifically designed for frequent discharge deep cycle application. With non-spillable design and maintenance free, AGM FDC Series offer low self-discharge and ensure a maximum service life with high resistance to cycles. Thanks to carbon additives, these batteries can perfectly be used with good performance without being 100% charged. This range offers reliable performance for electric vehicle and other applications such as golf cart, aerial work platform, cleaning machine, marine, solar energy...

## *₼* **FEATURES**

- Deep Cycle AGM technology (VRLA)
- Non-spillable & maintenance free
- No acid handling
- Deep Cycle design for high capacity and maximum life
- Reinforced grid/plates design for optimal cyclic use
- Robust, safe & reliable
- Carbon additives to perform in Partial State of Charge (PSOC) and to increase charging efficiency
- Low self-discharge rate for longer shelf life

# 

Voltage

Capacity

Reserve capacity

12 V

82 Ah (20hr) 160 min (25A)

**53 min** (56A)

**75 Ah** (10hr)

71 Ah (5hr)

65 Ah (3hr)

#### **OPERATING TEMPERATURE**


Discharge	-15°C ~ 50°C
Charge	0°C ~ 40°C
Storage	-15°C ~ 40°C


#### **CHARGING INSTRUCTIONS**


Max current	17.0A
Float	13.6V - 13.8V
Cyclic	14.7V - 14.8V

#### √ DIMENSIONS & WEIGHT

Length	260±2mm
Width	168±2mm
Total Height	214±2mm
Gross weight	23.3kg








#### A TERMINAL





#### **APPLICATIONS**



platform

Aerial work Golf cart





Floor cleaning machine










# FDC12-75


# **Datasheet**




#### 



## 



## 



## **SELF-DISCHARGE CHARACTERISTIC**

