

LITHIUM (LiFePO4) RANGE

High performance & light weight

The Lithium range is designed to offer the ultimate riding experience. Ready to use and with ultra-light weight conception, this LiFePO4 range will ensure extreme starting performance, very low self-discharge and extreme cycle life. Thanks to the Battery Management System integrated, these batteries offer a very safe solution, ideal for the most demanding riders.


FEATURES

- Ready to use
- 100% maintenance Free
- Ultra-lightweight compare to lead acid battery
- Very high cold cranking performance
- Easy to install with the foam spacers
- Ultra-safe thanks to the integrated BMS
- Very fast recharge
- Multi-positional fitment
- Integrated LCD battery tester
- Very low self-discharge



COMPATIBLE CHARGERS

- Fulload 1000 - battery capacity up to 20Ah
- Fulload F4 - battery capacity up to 80Ah
- Fulbank 2000 - battery capacity up to 40Ah



Designation	P/N	Power (Wh)	Capacity Ah (10Hr)	CCA (A)	Dimensions (±2mm)			Polarity	Charging current (A)		Equivalent lead-acid battery types (most popular models)
					L	W	H		Std	Max	
FLTK01*	560501	25.6	2	140	86	48	90	⊖ ⊕	1	2	KTM OE replacement
NEW FLTX4L/5L/7L FLTZ5S/6S/7S**	560635	25.6	2	120	107	56	85	⊖ ⊕	1	2	FB4L-B; FTX4L-B/FTZ5S; FTX5L-B/FTZ6S; FTX7L-B/BS; FTZ7S; FTZ7V; FTZ8V
NEW FLTX4L/5L/7L+ FLTZ5S/6S/7S+	560636	38.4	3	180	107	56	85	⊖ ⊕	1.5	3	FB4L-B; FTX4L-B/FTZ5S; FTX5L-B/FTZ6S; FTX7L-B/BS; FTZ7S; FTZ7V; FTZ8V
FLT7B/9B	560624	51,2	4	240	150	65	93	⊕ ⊖	2	4	FT7B-4; FT7B-BS; FT9B-4; FT9B-BS
NEW FLTX7A/9 FLTZ10S	560633	38.4	3	180	150	87	93	⊕ ⊖	1.5	3	FTX7A-BS; FTX9-BS; FTZ10S
FLTX7A/9/12/14 FLTZ10S/12S/14S	560625	64	5	300	150	87	93	⊕ ⊖	2.5	5	FTX7A-BS; FTX9-BS; FT12A-BS; FTX12-BS; FTX14-BS; FTZ10S; FTZ12S; FTZ14S
NEW FLTX12/14 FLTZ12S/14S	560634	102.4	8	480	150	87	93	⊕ ⊖	4	8	FTX7A-BS; FTX9-BS; FT12A-BS; FTX12-BS; FTX14-BS; FTZ12S; FTZ14S
FLT12B/14B	560626	76.8	6	360	150	69	130	⊕ ⊖	3	6	FT12B-4; FT12B-BS; FT14B-4; FT14B-BS
FLTX20H	560628	153.6	12	720	175	87	155	⊕ ⊖	6	12	FTX20-BS
FLTX20HL	560627	153.6	12	720	175	87	155	⊖ ⊕	6	12	FB16CL-B; FTX20L-BS; FTX20HL-BS; FHD20HL-BS
FLTX30HL	560629	230,4	18	900	168	127	177	⊖ ⊕	6	18	53030; FB30L-B; FB30CL-B; F60-N30L-A; FIX30L-BS; FHD30L-BS

*This model does not have an integrated BMS / **This model does not include an LCD battery tester

UPGRADE CROSS REFERENCE CHART

DRY	MF	GEL	LITHIUM
6N4-2A - 6N4-2A-4		6N4-2A/A-4	
6N6-3B - 6N6-3B-1		6N6-3B/B-1	
B49-6		B49-6	
B38-6A		B38-6A	
6N11A-1B - 6N11A-3A		6N11A-1B/3A	
12N5.5-3B		12N5.5-3B	
12N5.5-4A		12N5.5-4A/4B	
FB3L-A - FB3L-B		FB3L-A/B	
FB4L-B		FB4L-B	FLTX4L/5L/7L - FLTZ5S/6S/7S
FB5L-B - 12N5-3B		FB5L-B GEL	
12N7-4A - FB7-A		FB7-A	
FB7C-A		FB7C-A	
FB7L-B - FB7L-B2 - 12N7-3B		FB7L-B/B2	FLTX4L/5L/7L - FLTZ5S/6S/7S
FB9-B - 12N9-4B1	FT9A-BS	FB9-B	
FB10L-A2 - FB10L-B2 - 12N10-3A/B		FB10L-A2/B2	
FB12AL-A/A2		FB12AL-A2	
FB12A-A - FB12A-B - 12N12A-4A-1		FB12A-A/B	
FB14A-A1 - FB14A-A2		FB14A-A2	
FB16AL-A2		FB16AL-A2	
FB16CL-B		FB16CL-B	FLTX20HL
	FT4B-BS	FT4B-BS	
	FTR4A-BS	FTR4A-BS	
	FTX4L-BS/FTZ5S	FTX4L-BS/FTZ5S	FLTX4L/5L/7L - FLTZ5S/6S/7S
	FTX5L-BS	FTX5L-BS/FTZ6S	FLTX4L/5L/7L - FLTZ5S/6S/7S
	FTX7A-BS	FTX7A-BS	FLTX7A/9 - FLTZ10S
	FTX7L-BS	FTX7L-BS	FLTX4L/5L/7L - FLTZ5S/6S/7S
	FTX9-BS	FTX9-BS	FLTX7A/9 - FLTZ10S
	FT12A-BS	FT12A-BS	FLTX12/14 - FLTZ12S/14S
	FTX12-BS	FTX12-BS	FLTX12/14 - FLTZ12S/14S
	FTX14-BS	FTX14-BS	FLTX12/14 - FLTZ12S/14S
	FTX14L-BS	FTX14L-BS GEL - FHD14HL-BS	
FB14-A2 - FB14-B2 - 12N14-4A	FTX14AH-BS	FTX14AH-BS / FB14-A2	
FB14L-A2 - FB14L-B2 - 12N14-3A	FTX14AHL-BS	FTX14AHL-BS / FB14L-A2	
	FTX16-BS	FTX16	
FB16-B	FTX20-BS	FTX20-BS	FLTX20H
	FTX20A-BS	FTX20A-BS	
FB16L-B - FB18L-A	FTX20L-BS	FTX20HL-BS GEL - FHD20HL-BS	FLTX20HL
12N18-3A - F50-N18L-A - F50-N18L-A3	FTX24HL-BS	FTX24HL-BS / F50-N18L-A/A2/A3	
FB30L-B	FIX30L-BS	FIX30L-BS GEL - FHD30HL-BS	FLTX30HL
		FTZ7V	FLTX4L/5L/7L - FLTZ5S/6S/7S
		FTZ7S GEL - FTZ8V	FLTX4L/5L/7L - FLTZ5S/6S/7S
		FT7B-4	FLT7B/9B
		FT9B-4	FLT7B/9B
		FTZ10S	FLTX7A/9 - FLTZ10S
		FTZ12S	FLTX12/14 - FLTZ12S/14S
		FT12B-4	FLT12B/14B
		FTZ14S	FLTX12/14 - FLTZ12S/14S
		FT14B-4	FLT12B/14B
51814 - 51913		NH12-20	
F60-N30L-A - 53030		53030	FLTX30HL
F60-N30-A - 53034		53034	



LITHIUM

Ready to use
High CCA performance
Ultra lightweight




GEL

Ready to use
100% maintenance free
Non-spillable



MF

Must be filled before use
No maintenance after activation
Unlimited shelf life



DRY

Activation before first use
Periodic maintenance required
Unlimited shelf life

